ELSEVIER

Nuclear Instruments and Methods in Physics Research A 393 (1997) xvii–xxv

NUCLEAR INSTRUMENTS & METHODS IN PHYSICS RESEARCH Section A

Contents

Preface vii
Committees ix
Sponsors x
1996 International Free-Electron-Laser Prize xi

PART I

Section I. Status of FEL sources

Particle acceleration with lasers
R.H. Pantell 1

Short wavelength free electron lasers in 1996
W.B. Colson 6

Long wavelength free electron lasers in 1996
H.P. Freund and V.L. Granatstein 9

Section II. Storage ring free electron lasers

Storage rings FELs
M.E. Couprie 13

Storage ring longitudinal instabilities
K. Wille 18

Testing for qualification of a helical optical klystron for UV storage-ring free electron lasers
H. Hama, K. Kimura, M. Hosaka, J. Yamazaki and T. Kinoshita 23

Demonstration and consideration for UV free-electron laser oscillation around 270 nm
K. Kimura, S. Takano, J. Yamazaki, T. Kinoshita, M. Hosaka and H. Hama 28

The Super-ACO FEL dynamics measured with a streak camera
R. Roux, M.E. Couprie, T. Hara, R.J. Bakker, B. Visentin, M. Billardon and J. Roux 33

Beam quality in storage ring NIJI-IV
N. Sei, H. Ohgaki, K. Yamada and T. Yamazaki 38

Saturation of cavity-mirror degradation in the UV FEL
K. Yamada, T. Yamazaki, N. Sei, R. Suzuki, T. Ohdaira, T. Shimizu, M. Kawai, M. Yokoyama, T. Mikado, T. Noguchi, S. Sugiyama and H. Ohgaki 44

Observations of bunch-lengthening effects in the APS 7-GeV storage ring
A.H. Lumpkin, B.X. Yang and Y.C. Chae 50

Analysis of OK SR FEL devices
G. Dattoli, I. Mezi, P.L. Ottaviani and A. Renieri 55

Design of an optical cavity in the NIJI-IV for high output power
N. Sei, T. Yamazaki, K. Yamada, T. Mikado and H. Ohgaki 59

Dynamic filling factor in the Super-ACO free electron laser
D. Nutarelli, D. Garzella, M.-E. Couprie and M. Billardon 64

0168-9002/97/$17.00 Copyright © 1997 Elsevier Science B.V. All rights reserved

Dynamics of a storage-ring FEL oscillator with the inclusion of the microwave instability
G. Dattoli, L. Mezi, A. Renieri and G.K. Voykov 70

Saturation mechanism of a storage ring free electron laser: An analytic model
G. Dattoli and E. Sabia 75

Section III. High-gain short-wavelength FELs

Theory of high-gain free-electron lasers
W.B. Colson 82

An X-ray FEL laboratory as part of a linear collider design
R. Brinkmann, G. Materlik, J. Rossbach, J.R. Schneider and B.-H. Wiik 86

RF gun design for the TESLA VUV Free Electron Laser
B. Dwersteg, K. Flöttmann, J. Sekutowicz and Ch. Stolzenburg 93

High-gain harmonic generation of soft X-rays with the "fresh bunch" technique
L.-H. Yu and I. Ben-Zvi 96

SASE X-ray radiation via Lienard–Wiechert fields
L.R. Elias and I. Kimel 100

Three-dimensional simulation of finite pulse effects in SASE via Lienard–Wiechert fields
M. Tecimer and L.R. Elias 104

Design considerations for a dual-etalon seed-light pre-filter for high-energy LCLS applications
R. Tatchyn and T. Cremer 110

A fast analytical undulator model for realistic high-energy FEL simulations
R. Tatchyn and T. Cremer 114

Parameter study on phase I of the VUV-FEL at the TESLA test facility
W. Brefeld, B. Faatz, Y.M. Nikitina, J. Pflüger, P. Pierini, J. Roßbach, E.L. Saldin, E.A. Schneidmiller and M.V. Yurkov 119

Non-linear simulation of X-ray free-electron lasers using realistic wiggler models
H.P. Freund and R. Tatchyn 125

Short wavelength SASE using the PALADIN wiggler
P.G. O'Shea, C.P. Neuman, J.M.J. Madey and H.P. Freund 129

A simple model of gain saturation in high gain single pass free electron lasers
G. Dattoli, L. Giannessi, P.L. Ottaviani and M. Carpanese 133

Theoretical study of the design and performance of a high-gain, high-extraction-efficiency FEL oscillator
J.C. Goldstein, D.C. Nguyen and R.L. Sheffield 137

Numerical analysis of high-gain free-electron laser oscillators
R. Hajima, S. Kagiyama and S. Kondo 142

Critical review of high-gain X-ray FEL experiments
K.-J. Kim 147

Fundamental limitations of an X-ray FEL operation due to quantum fluctuations of undulator radiation
J. Rossbach, E.L. Saldin, E.A. Schneidmiller and M.V. Yurkov 152

Simulation studies of 6 nm free electron laser at the TESLA test facility starting from noise
E.L. Saldin, E.A. Schneidmiller and M.V. Yurkov 157

Possible application of X-ray optical elements for reducing the spectral bandwidth of an X-ray SASE FEL
J. Feldhaus, E.L. Saldin, J.R. Schneider, E.A. Schneidmiller and M.V. Yurkov 162

Start-up noise in 3-D self-amplified spontaneous emission
K.-J. Kim 167

On the path to the next generation of light sources
A.H. Lumpkin 170

Section IV. Visible, infrared, long-wavelength FELs

First lasing of the compact infrared free-electron laser
I.S. Lehrman, J. Krishnaswamy, R.A. Hartley, R.H. Austin and D.W. Feldman 178

Results of the Boeing pulse compression and energy recovery experiments
D.H. Dowell, J.L. Adamski, T.D. Hayward, P.E. Johnson, C.D. Parazzoli and A.M. Vetter 184

First lasings at 0.27–0.37 μm and 0.51–0.63 μm using an S-band electron linac with a thermionic gun
T. Tomimasu, E. Oshita, S. Okuma, K. Wakita, T. Takii, S. Nishihara, A. Nagai, H. Tongu, K. Wakisaka, Y. Miyauchi, K. Saeki and A. Kobayashi 188

FEL oscillation in IR region using a two-mode compact linac
T. Haga, T. Shinzato, K. Emura and H. Takada 193

Lasing experiments at TEUFEL
J.W.J. Verschuur, G.J. Ernst, B.M. van Oerle, D. Bisero, A.F.M. Bouman and W.J. Witteman 197

Temporal structure of the CLIO laser micropulses in the two-color regime
F. Glotin, J.M. Berset, D. Jaroszynski, O. Marcouillé, J.M. Ortega and R. Prazeres 200

Electron beamline design for the Los Alamos National Laboratory 1 kW FEL
R.L. Sheffield 204

Gain and startup conditions for the BNL visible FEL oscillator experiment
W.S. Graves 210

The UCLA high gain infrared free electron laser
M. Hogan, C. Pellegrini, J. Rosenzweig, G. Travish and A.A. Varfolomeev 216

First lasing of the UCSB 30 μm free-electron laser
G. Ramian, J. Kaminski and S.J. Allen 220

Plans for an initial test phase for the FERMI project
R.P. Walker, D. Bulfone, F. Cargnello, M. Castellano, F. Cevenini, F. Ciocci, G. Dattoli, G. D'Auria, F. Daclon, B. Diviacco, A. Doria, M. Ferianis, G.P. Gallerano, L. Giannessi, M. Giannini, E. Giovenale, G. Margaritondo, A. Massarotti, N. Pangos, P. Patteri, A. Renieri, A. Rindi, R. Rosei, C. Rossi, C. Rubbia, S. Tazzari, F. Tazzioli, L. Tosi, R. Visintini, F.Q. Wei, A. Wrulich and D. Zangrando 225

What limits the wavelength of an FEL? Challenge at the shortest wavelength lasing limit of linac-based FELs using the FELI linac with a thermionic gun
T. Tomimasu 230

Can a free-electron laser operate with a broad momentum spread?
K.-J. Kim 234

Pulse-shaping in short-pulse FEL oscillators using multiple resonators
G. Shvets and J.S. Wurtele 237

Free electron laser beam quality – from Castelgandolfo to Rome
C.W. Roberson and B. Hafizi 242

Pulse stacking in the SCA/FEL external cavity
T.I. Smith, P. Haar and H.A. Schwettman 245

Synchronously injected amplifiers, a novel approach to high-average-power FEL
D.C. Nguyen, C.M. Fortgang, J.C. Goldstein, J.M. Kinross-Wright and R.L. Sheffield 252

Effect of dispersive optical elements in the Vanderbilt Free-Electron Laser resonator
C.A. Brau 257

Free electron lasers with short Rayleigh length
D.W. Small, R.K. Wong, W.B. Colson and R.L. Armstead 262

Evolution of transverse modes in FEL and the method of approximants
G. Dattoli, M. Carpanese, E. Sabia, A. Segreto, A. Torre and G.K. Voykov 265

Higher-order mode analysis in multistage FELs for the two-beam accelerator
S. Hashimoto and K. Takayama 269

Temporal and spectral structure of an FEL oscillator during start-up
G. Shvets and J.S. Wurtele 273

TDA3D: Updates and improvements to the widely used three-dimensional free electron laser simulation
B. Faatz, W. Fawley, P. Pierini, S. Reiche, G. Travish, D. Whittum and J. Wurtele 277

Quantitative study of optical guiding by three-dimensional simulation
M. Sobajima, K. Yoshikawa, M. Ohnishi, Y. Yamamoto, K. Masuda, H. Toku and T. Nakamura 280

Free-electron-laser-type interaction at 1 meter wavelength range
R. Drori and E. Jerby 284

Simulation study on efficiency enhancement of 10–140 GHz FEL with wiggler tapering and a prebunched e-beam
M. Shiho, A. Watanabe, T. Koarai, S. Maebara, H. Ishizuka, K. Takayama, J. Kishiro, K. Horioka, M. Ogawa and S. Kawasaki 289

Extrapolation of the FOM 1 MW free-electron maser to a multi-megawatt millimeter microwave source
M. Caplan, M. Valentini, A. Verhoeven, W. Urbanus and A. Tulupov 295

A low voltage backward wave FEM
C. Balfour, R.A. Stuart, A.I. Al-Shamma'a, A. Shaw, S.E. Mayhew, J. Lucas, J.R. Hartley 300

Theory of a ubitron in a corrugated waveguide
H.P. Freund, K. Nguyen and D.E. Pershing 304

Comparison of wiggler-averaged and non-wiggler-averaged free-electron laser simulations
H.P. Freund and L.H. Yu 308

Calculation of the Green's function for an axisymmetric diaphragm focusing line
E.L. Saldin, E.A. Schneidmiller and M.V. Yurkov 312

Spontaneous emission in waveguide free-electron masers near waveguide cutoff
I.M. Yakover, Y. Pinhasi and A. Gover 316

Smith–Purcell radiation from a 50 MeV beam
J.H. Brownell, J. Walsh, H.G. Kirk, R.C. Fernow and S.H. Robertson 323

Section V. Beam pre-bunching and superradiance

Observation of self-amplified spontaneous emission in the infrared free electron laser "CLIO"
R. Prazeres, J.M. Berset, F. Glotin, D.A. Jaroszynski, O. Marcouillé and J.M. Ortega 326

Observation of superradiance in a short-pulse FEL oscillator
D.A. Jaroszynski, P. Chaix, N. Piovella, D. Oepts, G.M.H. Knippels, A.F.G. van der Meer and H.H. Weits 332

FEL dynamics, electron-beam bunching and prebunching
G. Dattoli, L. Giannessi, P.L. Ottaviani and A. Segreto 339

A unified analysis of spontaneous and super-radiant emissions in free-electron lasers
Y. Pinhasi and A. Gover 343

Spectral composition of the harmonic radiation and its sensitivity to the seed-laser power in the zero-gain harmonic generation scheme
V.V. Goloviznin and P.W. van Amersfoort 348

Experimental observation of superradiance in millimeter-wave band
N.S. Ginzburg, A.S. Sergeev, I.V. Zotova, Yu.V. Novozhilova, N.Yu. Peskov, I.V. Konoplev, A.D.R. Phelps, A.W. Cross, S.J. Cooke, P. Aitken, V.G. Shpak, M.I. Yalandin, C.A. Shunailov and M.P. Ulmaskulov . . . 352

A tunable pre-bunched CW-FEM
S. Mayhew, A.I. Al-Shamma'a, R.A. Stuart, A. Shaw, C. Balfour and J. Lucas 356

Performance improvement of FEMs by prebunching of the electron beam
A.L. Eichenbaum, A. Abramovich, M. Arbel, M. Cohen, L. Gilutin, A. Gover, H. Kleinman, Y. Pinhasi, S. Volkovich and I.M. Yakover 361

Harmonic millimeter radiation from a microwave FEL amplifier
Y.-H. Liu and T.C. Marshall 366

SASE in plasmas: Analysis and simulation of Raman backscatter from noise
G. Shvets and J.S. Wurtele 371

Space-charge oscillations in a self-modulated electron beam in multi-undulator free-electron lasers
J. Rosenzweig, C. Pellegrini, L. Serafini, C. Ternieden and G. Travish 376

Section VI. Undulator and transport systems

Study of the undulator specification for the VUV-FEL at the TESLA test facility
B. Faatz, J. Pflüger and Y.M. Nikitina 380

A pure permanent magnet – two plane focusing – tapered wiggler for a high average power FEL
C.M. Fortgang 385

Magnetic field analysis of a hybrid helical microwiggler
Y. Tsunawaki, N. Ohigashi, M. Kusaba, K. Mima, M. Fujita, K. Imasaki, S.-I. Kuruma, S. Nakai and C. Yamanaka 389

Enhancement of electron spontaneous radiation per unit undulator length with novel multicomponent undulator scheme
A.A. Varfolomeev and T.V. Yarovoi 393

A new crossed undulator scheme for generating radiation polarized in wide frequency range
A.A. Varfolomeev 398

Analytical calculation of field in electrostatic undulators with circular cross-section conductors
V.A. Papadichev 403

Plate-electrode electrostatic undulators: Field calculation using conformal mapping
V.A. Papadichev 409

Detailed analysis of pulsed-wire technique accuracy
P.V. Bousine, S.V. Tolmachev and A.A. Varfolomeev 414

Visualization and simulation of electron beam transport along a FEL planar wiggler
A. Abramovich, M. Arbel, L. Gilutin, H. Kleinman, A. Eichenbaum, I.M. Yakover, Y. Pinhasi, I. Marhasine and A. Gover 419

Section VII. Cathodes and injectors

High-brightness photoelectric field-emission cathodes for free-electron laser applications
C.A. Brau 426

TESLA FEL photo-injector simulations giving high-quality beams
J.L. Coacolo, C. Pagani and L. Serafini 430

Self-consistent three-dimensional RF-gun dynamics integration based on the Lienard–Wiechert retarded potentials
F. Ciocci, L. Giannessi, A. Marranca, L. Mezi and M. Quattromini 434

ATRAP: a 2D1/2 beam dynamics code using the Liénard–Wiechert's equations
J.L. Coacolo 439

Simulations of electron backstreaming in a microwave thermionic gun
Y. Yamamoto, T. Inamasu, K. Masuda, M. Sobajima, M. Ohnishi, K. Yoshikawa, H. Toku and E. Tanabe 443

A thermionic-cathode RF gun for compact FEL use
J.W. Lewellen, J. Feinstein and R.H. Pantell 447

Experimental characterization of CANDELA photo-injector
C. Travier, G. Devanz, B. Leblond and B. Mouton 451

Photocathodes for RF photoinjectors
P. Michelato 455

Enhanced quantum efficiency of metal/metal compound photocathode irradiated by two wavelengths of Nd: YAG laser
K. Ohkubo, T. Watanabe, N. Nakao, M. Fujita, A. Moon, P.K. Roy, T. Ishida, E. Yasuda, H. Tanaka, M. Daicho, K. Imasaki, K. Mima, N. Ohigashi, Y. Tsunawaki, S. Nakai and C. Yamanaka 460

Characterization of Cs_2Te photoemissive film: formation, spectral responses and pollution
P. Michelato, C. Pagani, D. Sertore, A. di Bona and S. Valeri 464

Displacement and emission currents from PLZT 8/65/35 and 4/95/5 excited by a negative voltage pulse at the rear electrode
G. Benedek, I. Boscolo, J. Handerek, S. Marchesini, C. De Martinis, H. Riege and A. Scurati 469

Section VIII. Beam diagnostics

Emittance measurements of the CLIO electron beam
R. Chaput, G. Devanz, P. Joly, B. Kergosien and J. Lesrel 474

Experiments with field-emitter arrays for free electron micro-laser applications
H. Ishizuka, S. Kawasaki, M. Arai, H. Shimawaki, K. Yokoo, H. Kubo, A. Watanabe, M. Shiho and J. Itoh 479

Experiments in nonperturbative electron beam characterization with the MIT microwiggler at the accelerator test facility at BNL
X. Qiu, P. Catravas, M. Babzien, I. Ben-Zvi, J.-M. Fang, W. Graves, Y. Liu, R. Malone, I. Mastovsky, Z. Segalov, J. Sheehan, R. Stoner, X.-J. Wang and J.S. Wurtele 484

Emittance growth of a short electron bunch in circular motion
B.E. Carlsten and J.C. Goldstein 490

Emittance growth due to wake fields on curved bunch trajectories
M. Dohlus and T. Limberg 494

Criteria for derivation of e-beam emittances using undulator radiation
G. Dattoli, A.H. Lumpkin, G.K. Voykov and B.X. Yang 500

Coherent transition radiation diagnostic for electron bunch shape measurement at FELIX
M. Ding, H.H. Weits and D. Oepts 504

A Cherenkov radiator for FEL-synchronized VUV-pulses at a linac-based FEL
V.V. Goloviznin, D. Oepts and M.J. van der Wiel 510

Coherent Smith–Purcell radiation as a diagnostic for subpicosecond electron bunch length
D.C. Nguyen 514

Section IX. Compton backscattering

Tunable X-rays generation in a free-electron laser by intracavity Compton backscattering
F. Glotin, J.-M. Ortega, R. Prazeres, G. Devanz and O. Marcouillé 519

Observation of intracavity Compton backscattering of the UVSOR free electron laser
M. Hosaka, H. Hama, K. Kimura, J. Yamazaki and T. Kinoshita 525

Gamma–Gamma collider based on Compton backscattering
K.-J. Kim 530

Compton backscattering induced by FEL photons: A general treatment
F. Ciocci, G. Dattoli, L. Giannessi, P.L. Ottaviani, M. Quattromini and M. Carpanese 536

Section X. Applications

Three years of biomedical FEL use in medicine and surgery: How far have we come?
B. Jean 540

Radiation therapy potential of intense backscattered Compton photon beams
K.J. Weeks 544

Two color experiments combining Free Electron Laser and Synchrotron Radiation
M. Marsi, M.E. Couprie, L. Nahon, D. Garzella, R. Bakker, A. Delboulbé, D. Nutarelli, R. Roux, B. Visentin, C. Grupp, G. Indlekofer, G. Panaccione, A. Taleb-Ibrahimi and M. Billardon 548

PART II (The text of these papers is to be found in the book edition of the Proceedings, ISBN 0-444-82819-2.)

Improvements of the Super ACO FEL UV source for users experiments
D. Garzella, M.E. Couprie, L. Nahon, A. Delboulbé, R.J. Bakker, B. Visentin, R. Roux, D. Nutarelli and M. Billardon II-1

The DELTA storage ring free-electron-laser facility: Recent results of the commissioning of the DELTA storage ring and FELICITA I
D. Nölle and the Delta Group II-3

FEL in quasi-isochronous storage ring STERAS
H. Ohgaki, T. Yamazaki, K. Yamada, N. Sei and D. Robin II-5

Present status of the NIJI-IV storage-ring free-electron lasers
T. Yamazaki, K. Yamada, N. Sei, H. Ohgaki, S. Sugiyama, R. Suzuki, T. Mikado, T. Noguchi, M. Chiwaki, T. Ohdaira, M. Kawai and M. Yokoyama II-7

The BNL Source Development Laboratory
I. Ben-Zvi, E. Blum, W.S. Graves, R.N. Heese, E.D. Johnson, S. Krinsky, J.B. Murphy and L.-H. Yu II-10

Competition for FELs in the UV/VUV: Do I have any choices?
E.D. Johnson II-12

FEL-X project: High brightness X rays from FEL-Compton backscattering
H. Ohgaki, K. Yamada, N. Sei, T. Yamazaki, T. Noguchi, T. Mikado and S. Sugiyama II-14

SPring-8 linac single pass FEL
K. Yanagida, T. Taniuchi, H. Yoshikawa, S. Suzuki, A. Mizuno, H. Sakaki, T. Hori, T. Kobayashi, T. Asaka, Y. Kishimoto and H. Yokomizo II-16

Quantum limit in X-ray FEL theory
I.V. Smetanin II-18

A numerical method of calculating the effective start-up power in a high gain free electron laser
M. Hogan and G. Travish II-20

UV- and visible-subpicosecond FEL pulse generation
K. Wakita, E. Oshita, S. Okuma, T. Takii and T. Tomimasu II-22

Two-stage amplifier scheme with feedback by Bragg-reflecting mirrors in an Å wavelength range FEL
B. Adams and G. Materlik II-24

Feedback in a soft X-ray FEL by optically generated atomic lattices
B. Adams II-26

Overview of the Jefferson Lab IR FEL program
S. Benson and the Jefferson Lab FEL Team II-28

Some comments on providing broadband light to users
S. Benson II-31

"Simultaneous" independent beams from the Stanford SCA/FEL: Present and future
E.R. Crosson, G.E. James, H.A. Schwettman, T.I. Smith and R.L. Swent II-33

Simulation study on the effects of cavity detuning and accelerator instability on the FIR FEL at CIAE
S. Fu, T. Yang, Y. Chen and Z. Huang II-35

Ultra-compact, high-gain, high-power free-electron lasers pumped by future laser-driven accelerators
Y.C. Huang and R.L. Byer II-37

Dynamic desynchronization of the FELIX resonator
G.M.H. Knippels, L. Lin, A.F.G. van der Meer, D. Oepts, M.J. van de Pol and P.W. van Amersfoort . . . II-39

Anticipated performance parameters of the TAU tandem FEL
A. Abramovich, A. Arensburg, D. Chairman, A. Eichenbaum, M. Cohen, M. Draznin, A. Gover, H. Kleinman, Y. Pinhasi, J.S. Sokolowski, I.M. Yakover, L.A. Levin, O. Shahal, A. Rosenberg, J. Shiloh and I. Schnitzer II-41

Extension of the wavelength range of FELIX to 300 μm
L. Lin and A.F.G. van der Meer II-43

The effects of short pulses in an infrared free-electron laser
A.M. MacLeod, W.A. Gillespie, G.M.H. Knippels and A.F.G. van der Meer II-45

First lasing of LEENA free electron laser at LASTI
T. Mochizuki, S. Miyamoto, S. Amano and M. Niibe II-47

Constant resonant energy tapering in free-electron lasers
K.E. Robinson, S.C. Gottschalk, D.C. Quimby and T.D. Hayward II-49

Status of the Stanford Picosecond FEL Center
R.L. Swent, E.R. Crosson and T.I. Smith II-51

Challenge at two-color FEL oscillation in mid-infrared and far-infrared ranges using two undulators
T. Takii, E. Oshita, S. Okuma, K. Wakita, A. Koga and T. Tomimasu II-53

Commissioning of the 1 MW, 130–260 GHz fusion-FEM and simulations on beam transport and radiation gain
M. Valentini, M. Caplan, C.A.J. van der Geer, S.B. van der Geer, M.J. de Loos, A.G.A. Verhoeven, W.H. Urbanus and the FEM-team II-55

The Munich Smith-Purcell experiment
C. Wallner, Th. Kormann, G. Doucas, M. Kimmitt, C. Stan Sion, M. Dumitru, J. Walsh and G. Korschinek II-57

Design and simulation of a compact free-electron laser with pseudospark-produced electron beam
M.C. Wang, Y. Huang, Z. Wang, J.K. Lee and G.S. Park II-59

Coherence between micro-pulses and coherent spontaneous emission in FELIX
H.H. Weits, A.F.G. van der Meer, D. Oepts and M. Ding II-61

Alternative far-infrared sources
M.F. Kimmitt II-63

Small signal theory for tapered wiggler
Z.-W. Dong II-65

Free-electron laser beam preparation systems with adjustable isochronism
W.A. Gillespie II-67

Coherent emission processes in the FIR and MM wave range
A. Doria, M. Faraone, G.P. Gallerano, E. Giovenale, S. Letardi and G. Messina II-69

The design of a high efficiency depressed collector for a CW industrial FEM
C. Balfour, A.I. Al-Shamma'a, A. Shaw, S.E. Mayhew, J. Lucas and R.A. Stuart II-71

A low cost control system for a CW industrial FEM
C. Balfour, A.I. Al-Shamma'a, A. Shaw, S.E. Mayhew, J. Lucas, R.A. Stuart and J.R. Hartley II-73

Volume quasi-Cherenkov FEL in mm-spectral range
V.G. Baryshevsky, K.G. Batrakov, I.Ya. Dubovskaya, V.A. Karpovich and V.N. Radionova II-75

Angular distribution of the collective parametric radiation
V.G. Baryshevsky, K.G. Batrakov and I.Ya. Dubovskaya II-77

Wideband input coupler for a low voltage Ka-band coaxial ubitron amplifier
J.M. Taccetti, R.H. Jackson, H.P. Freund, D.E. Pershing and V.L. Granatstein II-79

Efficiency optimization of the JINR-IAP narrow-band millimeter wavelength FEL-oscillator
N.S. Ginzburg, A.K. Kaminsky, A.A. Kaminsky, N.Yu. Peskov, S.N. Sedykh, A.P. Sergeyev and A.S. Sergeyev II-81

Enhancement of the spontaneous emission of pre-bunched electron beam for CW-FEM
A.I. Al-Shamma'a, R.A. Stuart, S. Mayhew, A. Shaw, C. Balfour and J. Lucas II-83

Coherent radiation reaction on an electron bunch in an undulator
A.N. Lebedev and A.V. Serov II-85

Planar permanent magnet wiggler for pre-bunched electron beam in CW-FEM
A.I. Al-Shamma'a, R.A. Stuart, S. Mayhew, A. Shaw, C. Balfour and J. Lucas II-87

Short-period planar undulators development towards twisted structures
Yu.P. Bouzouloukov, V.V. Gubankov, A.S. Khlebnikov, N.S. Osmanov, A.V. Smirnov, N.V. Smolyakov and S.V. Tolmachev II-89

The role of the magnetic field diffusion on the magnetoacoustic waves coupling in viscous plasma
R. Gazi, V. Frunză, T. Tuleaşcă and I. Ciubotaru II-91

An effect of bipolar electromagnetic impulses parametric amplification by electron beam in the periodic magnetic field
I.A. Goncharov and E.D. Belyavskiy II-95

A lattice undulator for spatially-coherent hard X and gamma rays generation using a small superconducting rf linac
E.J. Minehara II-97

Modified wiggler for higher harmonic lasing
N. Nakao, K. Ohkubo, M. Fujita, T. Ishida, T. Watanabe, A. Moon, P.K. Roy, E. Yasuda, H. Tanaka, M. Daicho, N. Ohigashi, Y. Tsunawaki, K. Imasaki, K. Mima, S. Nakai and C. Yamanaka II-99

Spontaneous emission spectra from a staggered-array undulator
M. Ohnishi, S. Shimada, K. Okada, K. Masuda, M. Sobajima, K. Yoshikawa, Y. Yamamoto and H. Toku II-101

Remodeling of the wiggler for the free electron laser with the L-band linac at Osaka University
S. Okuda, R. Kato, Y. Nakajima, G. Kondo, Y. Iwase, H. Kobayashi and G. Isoyama II-103

Improvement of gap field in electromagnetic helical microwiggler with permanent magnets
N. Ohigashi, T. Ishida, H. Tamada, T. Fujita, Y. Tsunawaki, K. Mima, K. Imasaki, M. Fujita, S. Kuruma, S. Nakai and C. Yamanaka II-105

The undulator system for the VUV-FEL at the TESLA Test Facility
J. Pflüger, Y.M. Nikitina, B. Faatz and T. Teichmann II-107

Field distribution investigation in few types of helical undulators
A.K. Kaminsky, A.A. Kaminsky, S.N. Sedykh and A.P. Sergeev II-109

Compressed-flux undulator concept
P. Calveley II-111

Enhanced Compton scattering in a supercavity as a high-brightness high energy photon source
M. Fujita, A. Moon, E. Yasuda, H. Tanaka, M. Daicho, K. Imasaki, C. Yamanaka, P.K. Roy, K. Mima, S. Nakai, S. Ohkubo, N. Nakao, T. Ishida, T. Watanabe, N. Ohigashi, Y. Tsunawaki, Y. Yamazaki and S. Tani II-113

The production of a gamma-ray laser using a storage ring for transmuting short-lived fission products
M. Nomura, H. Takahashi and S. Toyama II-117

A concept of high-intensity polarized monochromatic gamma-source at ESRF
R. Corsini, C. Pagani, E.L. Saldin, E.A. Schneidmiller and M.V. Yurkov II-119

Nuclear physics studies using a free-electron laser generated beam
H.R. Weller II-121

High brightness plasma electron gun
G.V. Dolbilov, A.A. Fateev, N.I. Lebedev, V.A. Petrov II-125

Electron emisssion from metal and diamond films irradiated by XeCl and KrCl lasers
V. Nassisi, A. Beloglazov, V.I. Konov and M. Martino II-127

RF photocathode gun test facility for developing high brightness injectors for X-ray FELs
J.F. Schmerge, M. Hernandez, D.D. Meyerhofer, R.H. Miller, D.T. Palmer, D. Reis, J.N. Wever, H. Wiedemann and H. Winick II-129

Development and production of photo cathodes for the CLIC Test Facility
G. Suberlucq II-131

Low cost electron gun for a CW-FEM
A. Shaw, A.I. Al-Shamma'a, C. Balfour, R.A. Stuart, S. Mayhew, J. Lucas II-133

Beam-loading effect of RF linac based FEL with thermionic microwave gun injector
C. Tang and J. Xie II-135

Study of an RF gun for the SPring-8 linac
T. Taniuchi, K. Yanagida, H. Yoshikawa, S. Suzuki, A. Mizuno, H. Sakaki, T. Hori, T. Kobayashi, T. Asaka and H. Yokomizo II-137

Emittance growth from transient coherent synchrotron radiation
C.L. Bohn, R. Li and J.J. Bisognano II-139

Undulator spontaneous radiation measurements, and length and angular alignments for near-concentric optical resonator mirrors in the JAERI FEL
E.J. Minehara, M. Sugimoto, M. Sawamura, R. Nagai, N. Kikuzawa and N. Nishimori II-141

Longitudinal electron bunch measurements using transition radiation in vaccuum
K.N. Ricci, E.R. Crosson and T.I. Smith II-143

Pulse length measurements on the TEUFEL electron beam
J.W.J. Verschuur, G.J. Ernst, B.M. van Oerle, D. Bisero, A.F.M. Bouman, W.J. Witteman, J.M. Kinross-Wright and R. Sheffield II-145

Micropulses temporal structure measurements along the macropulse on the CLIO-FEL
F. Glotin, J.M. Berset, D. Jaroszynski, O. Marcouillé, J.M. Ortega, A. Peremans, R. Prazeres and W.Q. Zheng II-147

Exploring the feasibility of an FEL naval weapon system
E. Anderson, R. Lyon, W.B. Colson, G. Neil and S. Benson II-149

Estimations of irradiated radiation dosage to multilayer mirrors and permanent magnets used in the undulators
K. Wakisaka, H. Tongu, E. Oshita, S. Okuma, K. Wakita, T. Takii and T. Tomimasu II-151

Author index 553